



SAFETY DATA SHEET

This material is exempt from the Hazard Communication Standard since it is produced as an "article" as defined in 29 CFR 1910.1200. Under normal conditions of use, this material does not release and will not result in exposure to a hazardous chemical; therefore, no Safety Data Sheet is required. This safety information sheet is therefore provided only as a convenience to users of our products.

1. IDENTIFICATION

Trade Name: GRISWOLD™ and KUSHON® Rubber
Chemical Family: Open Cell Natural Sponge Rubber
Use: Cushioning applications for Industrial and Consumer goods

Manufacturer: GRISWOLD PRODUCTS, LLC
Address: One River Street
PO Box 638
Moosup, CT 06354-0638

Phone: 800-472-8788
Email: orders@griswoldproducts.com

2. COMPOSITION

Chemical Name	CAS No.	%
Natural Rubber	9003-31-0	<30
Fillers	Proprietary	<55
Processing Oil	Proprietary	<20
Additives	Proprietary	<10

Sponge may be unsupported or bonded to a fabric, tissue or other substrate.

3. FIRST AID MEASURES

Eye Contact: In case of eye contact, immediately rinse with clean water. Obtain medical attention if pain, blinking, tears or redness persists.

Skin Contact: Not expected to present a significant skin hazard under anticipated conditions of use. Wash skin thoroughly with mild soap and water.

Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of use. If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention.

Ingestion: If ingested, obtain emergency medical attention.

One River Street, Moosup, CT 06354 USA
mechanicalrubber.com/griswoldproducts +1-800-472-8788
orders@griswoldproducts.com



4. FIRE-FIGHTING MEASURES

Extinguishing Media:	Water, Fog, Dry Chemical, Foam, Carbon Dioxide
Special Fire Fighting Procedures:	Wear NIOSH/MSHA approved SCBA and full protective equipment.
Unusual Fire and Explosion Hazards	May generate dense smoke in a fire situation.

5. ACCIDENTAL RELEASE MEASURES

Steps to take if Material Released/Spilled:	Clean up while avoiding the creation of nuisance dust.
---	--

6. HANDLING AND STORAGE

Handling:	The use of hot wire, laser or other cutting devices that involve high temperature cutting operations requires local exhaust sufficient to prevent exposure to potential toxic fumes that may be generated.
General Storage Requirements:	Keep away from open flame, electrical or mechanical sparks, electric heaters, high-powered lights, flame sources and flammable liquids and gases.

7. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:	Wear safety glasses during cutting operations.
Skin Protection:	Not expected to be a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, smoking, and when leaving the work area.
Respiratory Protection:	Wear a suitable dust mask during mechanical cutting operations. The use of hot wire, laser or other cutting devices that involve high temperature cutting operations requires local exhaust sufficient to prevent exposure to potential toxic fumes that may be generated.
Ventilation:	If creating dust during mechanical manipulation, use sufficient ventilation to keep dust exposure below the recommended limits for a respirable nuisance dust.

8. PHYSICAL PROPERTIES

Physical state:	Solid, Open Cell Rubber
Color:	Various
Odor:	Slight rubber odor
Relative density:	< 1.0



9. STABILITY AND REACTIVITY

Stability Stable under normal conditions. Decomposition in fire may produce toxic fumes consisting of carbon monoxide, carbon dioxide, and other toxic materials.

10. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with all applicable federal, state and local regulations.

11. TRANSPORT INFORMATION

Proper Shipping Name: Not Regulated
Primary Hazard Class: Not Regulated

12. REGULATORY INFORMATION

REACH Material is classified as an article. Contact GRISWOLD PRODUCTS LLC Customer Service for current statement regarding REACH status as requirements to meet these regulations are periodically updated. Individual statements for each of the listed regulations are available on our website.

REACH Annex XVII

REACH RoHS

California Proposition 65 Although this sponge product does contain listed particulate matter noted on the Proposition 65 List, it is bound in the polymer and not present as unbound particles of respirable size and therefore in a form not presenting a hazard under normal use. Contact GRISWOLD PRODUCTS LLC Customer Service if a separate statement is needed regarding California Proposition 65 status as the requirements to meet this regulation are periodically updated.

SEC Conflict Minerals No Conflict Minerals are purchased nor intentionally added to this product. Conflict Minerals reporting is available on our website.

TSCA (Toxic Substances Control Act) All materials used to manufacture this product are listed or exempt from TSCA listing.

CERCLA (Comprehensive Emergency Response and Liability Act) Not Applicable

SARA Title III (Superfund Amendments and Reauthorization Act) Not Applicable

311/312 Hazard categories None Known

313 EPCRA status Not Applicable



Note:

The above responses are based solely on a review of suppliers SDS's and not the result of any chemical analysis to determine if any listed chemical is present or any actual concentration of any listed chemical. GRISWOLD™ PRODUCTS, LLC makes no representation that it has verified the accuracy of SDS information or for incomplete or inaccurate information contained in this statement.

13: OTHER INFORMATION

Disclaimer of Liability:

The information in this Safety Data Sheet was obtained from sources, which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the material.

Version: 1.0

Date: 4/24/2023



SAFETY DATA SHEET

This material is exempt from the Hazard Communication Standard since it is produced as an "article" as defined in 29 CFR 1910.1200. Under normal conditions of use, this material does not release and will not result in exposure to a hazardous chemical; therefore, no Safety Data Sheet is required. This safety information sheet is therefore provided only as a convenience to users of our products.

1. IDENTIFICATION

Trade Name: GRISWOLD™ Rubber, Styrene Butadiene Rubber (SBR)
Chemical Family: Styrene Butadiene Rubber
Use: Cushioning applications for Industrial & Consumer goods

Manufacturer: GRISWOLD PRODUCTS LLC
Address: One River Street
P.O. Box 638
Moosup, CT 06354-0638
Phone: 800-472-8788
Email: orders@griswoldproducts.com

2. COMPOSITION

Chemical Name	CAS No.	%
Styrene	9003-55-8	<60
Butadiene		
Rubber		
Fillers	Proprietary	<60
Processing Oil	Proprietary	<10
Additives	Proprietary	<10

Rubber may be unsupported or bonded to a fabric, tissue or other substrate.

3. FIRST AID MEASURES

Eye Contact: In case of eye contact, immediately rinse with clean water. Obtain medical attention if pain, blinking, tears or redness persists.

Skin Contact: Not expected to present a significant skin hazard under anticipated conditions of use. Wash skin thoroughly with mild soap and water.

Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of use. If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention.

Ingestion: If ingested, obtain emergency medical attention.

One River Street, Moosup, CT 06354 USA
mechanicalrubber.com/griswoldproducts +1-800-472-8788
orders@griswoldproducts.com



4. FIRE-FIGHTING MEASURES

Extinguishing Media:	Water, Fog, Dry Chemical, Foam, Carbon Dioxide
Special Fire Fighting Procedures:	Wear NIOSH/MSHA approved SCBA and full protective equipment.
Unusual Fire and Explosion Hazards	May generate dense smoke in a fire situation.

5. ACCIDENTAL RELEASE MEASURES

Steps to take if Material Released/Spilled:	Clean up while avoiding the creation of nuisance dust.
---	--

6. HANDLING AND STORAGE

Handling:	The use of hot wire, laser or other cutting devices that involve high temperature cutting operations requires local exhaust sufficient to prevent exposure to potential toxic fumes that may be generated.
General Storage Requirements:	Keep away from open flame, electrical or mechanical sparks, electric heaters, high-powered lights, flame sources and flammable liquids and gases.

7. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection:	Wear safety glasses during cutting operations.
Skin Protection:	Not expected to be a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, smoking, and when leaving the work area.
Respiratory Protection:	Wear a suitable dust mask during mechanical cutting operations. The use of hot wire, laser or other cutting devices that involve high temperature cutting operations requires local exhaust sufficient to prevent exposure to potential toxic fumes that may be generated.
Ventilation:	If creating dust during mechanical manipulation, use sufficient ventilation to keep dust exposure below the recommended limits for a respirable nuisance dust.

8. PHYSICAL PROPERTIES

Physical state:	Solid
Color:	Various
Odor:	Slight rubber odor
Relative density:	> 1.0

One River Street, Moosup, CT 06354 USA
mechanicalrubber.com/griswoldproducts +1-800-472-8788
orders@griswoldproducts.com



9. STABILITY AND REACTIVITY

Stability Stable under normal conditions. Decomposition in fire may produce toxic fumes consisting of carbon monoxide, carbon dioxide, and other toxic materials.

10. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with all applicable federal, state and local regulations.

11. TRANSPORT INFORMATION

Proper Shipping Name: Not Regulated
Primary Hazard Class: Not Regulated

12. REGULATORY INFORMATION

REACH Material is classified as an article. Contact GRISWOLD PRODUCTS LLC Customer Service for current statement regarding REACH status as requirements to meet these regulations are periodically updated. Individual statements for each of the listed regulations are available on our website.
REACH Annex XVII
REACH RoHS

California Proposition 65 Although this rubber product does contain listed particulate matter noted on the Proposition 65 List, it is bound in the polymer and not present as unbound particles of respirable size and therefore in a form not presenting a hazard under normal use. Contact GRISWOLD PRODUCTS LLC Customer Service if a separate statement is needed regarding California Proposition 65 status as the requirements to meet this regulation are periodically updated.

SEC Conflict Minerals No Conflict Minerals are purchased nor intentionally added to this product. Conflict Minerals reporting is available on our website.

TSCA (Toxic Substances Control Act) All materials used to manufacture this product are listed or exempt from TSCA listing.
CERCLA (Comprehensive Emergency Response and Liability Act) Not Applicable
SARA Title III (Superfund Amendments and Reauthorization Act) Not Applicable
311/312 Hazard categories None Known
313 EPCRA status Not Applicable



Note:

The above responses are based solely on a review of suppliers SDS's and not the result of any chemical analysis to determine if any listed chemical is present or any actual concentration of any listed chemical. GRISWOLD PRODUCTS LLC makes no representation that it has verified the accuracy of SDS information or for incomplete or inaccurate information contained in this statement.

13: OTHER INFORMATION

Disclaimer of Liability:

The information in this Product Safety Information Sheet was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the material.

Version: 1.0

Date: 04/24/2023